

CERTIFICATE

Certificate holder	GUTEX Holzfaserplattenwerk H. Henselmann GmbH + Co KG Gutenberg 5 79761 Waldshut-Tiengen GERMANY
Production facility	Waldshut-Tiengen
Product	Thermal insulation products for buildings
Type, Model	Thermowall gf Wood-fibre thermal insulation board
Testing basis	DIN EN 13171:2015-04 DIN EN 13172:2012-04 European Insulation KEYMARK Scheme for Thermal Insulation Products (2016-11)

Mark of conformity



Registration No. 011-7D082

Valid until 2020-06-30

Nutzungsrecht This certificate entitles the holder to use the mark of conformity shown above in conjunction with the specified registration number.

See annex for further information.

2018-06-21

Dipl.-Phys. Carlo Seiser
Deputy Head of Certification Body



ANNEX

Page 1 of 1

Certificate	011-7D082 dated 2018-06-21
Technical Data	Designation code in accordance with DIN EN 13171: WF-EN 13171-T5-WS1,0-DS(70,-)3-CS(10/Y)200-TR30-MU3-AFr100 Declared thermal conductivity: 0,043 W/(m*K) Reaction to fire: Euroclasse E Thickness: 40 mm - 60 mm
Testing laboratory/ Inspection body	Materialprüfungsanstalt Universität Stuttgart Pfaffenwaldring 32 70569 Stuttgart GERMANY
Test report(s)	90003345/2/Schr dated 2017-04-24 9003345/17/Schr dated 2017-04-26
Surveillance contract/ License agreement	7000386 dated 2017-01-26

